Weston Livestock Marketing Weston, WV

Friday, July 27, 2018 9:00 am Weston Livestock: 304-269-5096 (SALE DAY) C. D. Cole 304-476-8886 (CELL)

Teleauction: 1-641-715-0700 Passcode: 301927

Slide: 1-25 lbs over -5 cents 26-50 lbs over -8 cents 51+ over -12 cents

| 1 | 70 | Manl | ey Zin | n | | | |
|----------|---|--|--|--|---|---|--|
| 1 | Heifers | Cox' | s Mills | , WV | | | |
|): | | M1 | L1 | S1 | | LM2 | |
| : | Blk/BWF | 40 | 13 | | | 2 | |
| | CharX/RedX | 11 | 4 | | | | |
| ange: | 675-775 | | Avg. | Wt. | | 740 | |
| | | | | | , | Stop – | |
| 765 | | | | | | | |
| h | Implanted (x) IBR, PI3,BVD (x) BRSV(x) | | | | | | |
| am: | | | | | | | |
| | H Somnus (x) Pasturella (x) | | | | | | |
| | Deloused/grubi | icide (| x) De | worme | ed | (x) | |
| ond: | Penned Overni scales | ght Dr | y; 5 mi | le hau | ıl to | 0 | |
| p time: | 2-3 day notice; | Sept 3 | 3-7 | | | | |
| Cond: | -5-5 | | | | | | |
| | Pasture | | | | | | |
| nents: | Guaranteed Open. Uniform; Dark Nose Char X; Good muscling;; Excellent quality; Double vaccinated. Couple pinkeye scars. Grader - Godby | | | | | | |
| | ange: n am: ond: p time: Cond: | Heifers :: Blk/BWF CharX/RedX ange: 675-775 Implanted (x) I Lepto 5 () 7 W H Somnus (x) Deloused/grubi ond: Penned Overni scales p time: 2-3 day notice; Cond: -5-5 Pasture nents: Guaranteed O Char X; Go quality; Dou | Heifers Cox's Heifers Cox's M1 Blk/BWF 40 CharX/RedX 11 ange: 675-775 Implanted (x) IBR, PI Lepto 5 () 7 Way Bls H Somnus (x) Pasture Penned Overnight Dry scales p time: 2-3 day notice; Sept 3 Cond: -5-5 Pasture Guaranteed Open. U Char X; Good re quality; Double | Heifers Cox's Mills M1 L1 Blk/BWF 40 13 CharX/RedX 11 4 ange: 675-775 Avg. Implanted (x) IBR, PI3,BVI Lepto 5 () 7 Way Blackleg H Somnus (x) Pasturella (Deloused/grubicide (x) Der ond: Penned Overnight Dry; 5 miscales p time: 2-3 day notice; Sept 3-7 Cond: -5-5 Pasture Guaranteed Open. Uniforr Char X; Good musclir quality; Double vaccin | Heifers Cox's Mills, WV Heifers M1 L1 S1 Ham: Blk/BWF CharX/RedX 11 4 Avg. Wt. Implanted (x) IBR, PI3,BVD (x) B Lepto 5 () 7 Way Blackleg (x) H Somnus (x) Pasturella (x) Deloused/grubicide (x) Deworme Ond: Penned Overnight Dry; 5 mile hauseles p time: 2-3 day notice; Sept 3-7 Cond: Guaranteed Open. Uniform; Day Char X; Good muscling;; | Heifers Cox's Mills, WV Heifers M1 L1 S1 Ham: Blk/BWF 40 13 CharX/RedX 11 4 Avg. Wt. Implanted (x) IBR, PI3,BVD (x) BR. Lepto 5 () 7 Way Blackleg (x) H Somnus (x) Pasturella (x) Deloused/grubicide (x) Dewormed Ond: Penned Overnight Dry; 5 mile haul to scales p time: 2-3 day notice; Sept 3-7 Cond: Cond: Guaranteed Open. Uniform; Dark Char X; Good muscling;; Ex quality; Double vaccinated. | |

| - I | 140 Heifers | CD | Cole | | | | |
|--------------|----------------------------------|----------------|---------------|-----------------------|-----|--------|--|
| Lot: 2 | 140 neners | | | X 7 X 7 | | | |
| | | | Lew, | | - | | |
| Grade: | | M | L1 | S1 | | LM2 | |
| | | 1 | | | | | |
| Breed: | Blk/BWF | 72 | 26 | | | 21 | |
| | CharX/RedX | 7 | 12 | | | 1 | |
| | Hereford | 1 | | | | | |
| Wt. Range: | 650-775 | | Avg. | Wt. | | 730 | |
| C | | | 1 2 3 8 3 3 4 | | | Stop- | |
| | | | | | | 755 | |
| Health | Implanted (x) I | BR, P | I3,BV | D(x) I | 3R | SV(x) | |
| Program: | Lepto 5 () 7 Way Blackleg (x) | | | | | | |
| | H Somnus (x) | Pasturella (x) | | | | | |
| | Deloused/grubi | cide (| x) De | worm | ed | (x) | |
| Wt. Cond: | Penned Overnig | ght; 5 | mile h | aul to | sca | ales | |
| Pickup time: | 2-3 day notice; | Augu | st 20-3 | 30 | | | |
| Flesh Cond: | 4+-5 | | | | | | |
| Feed: | Pasture | | | | | | |
| Comments: | Guaranteed of | | | | | Young | |
| | headed; Good | | _ | | | _ | |
| | heifers. 1 nub | horns | s; 6-8p | oink e | ye | scars. | |
| | Grader - Godby | 7 | | | | | |

| Lot: | 3 | 70 Heifers | | Sparks nersvil | ile, W | V | | | |
|---|---------|---|-------|-------------------|-----------------|-----|--|--|--|
| Grade | »: | I | M1 | L1 | S1 | LM2 | | | |
| Breed | : | Blk/BWF | 39 | 26 | | 5 | | | |
| Wt. R | ange: | 700-825 | | Avg. | Avg. Wt. | | | | |
| Program: Lepto 5 () 7 Way H Somnus (x) | | | | • • • | | | | | |
| Wt. C | ond: | 12 mile haul to | Spark | s Farm | scales | | | | |
| Picku | p time: | 2-3 day notice; | Augus | st 20-2 | 4 th | | | | |
| Flesh | Cond: | 4+-5 | | | | | | | |
| Feed: | | Pasture | | | | | | | |
| Comn | nents: | Average fleshed; Good quality set of heifers; Bought last fall and wintereda dn summered together. Grader - Godby | | | | | | | |

| Lot: 4 | 65 Heifers | | Taylor | | | | | |
|--------------|--|--------------------------------------|---------|--------|---------|--|--|--|
| | | Napı | er, WV | | | | | |
| Grade: | | M1 | L1 | S1 | LM | | | |
| Breed: | Blk/BWF | 25 | 26 | | 2 | | | |
| | CharX/RedX | 5 | 7 | | | | | |
| Wt. Range: | 750-850 | | Av | g. | 750 | | | |
| | | | W | ∕t. | Stop- | | | |
| | | | | | 775 | | | |
| Health | Implanted () IBR | Implanted () IBR, PI3,BV (x) BRSV(x) | | | | | | |
| Program: | Lepto 5 () 7 Way Blackleg (x) | | | | | | | |
| | H Somnus (x) Pasturella (x) | | | | | | | |
| | Deloused/grubici | de (x) | Dew | ormed | (x) | | | |
| Wt. Cond: | 35 mile haul to W | Veston | Stocky | ards | | | | |
| Pickup time: | 2-3 day notice; A | After So | eptemb | er 20 | | | | |
| Flesh Cond: | -5-5 | | | | | | | |
| Feed: | Pasture | | | | | | | |
| Comments: | Sorted from 80 h | ead; W | ell mu | scled; | Good | | | |
| | fleshed; Excellent set of feeding heifers; | | | | | | | |
| | Bought last fall | and | wintere | ed tog | gether. | | | |
| | Grader - Godby | | | | | | | |

| Lot: | 6 | 65 Heifers | CD C | Cole Lew, V | VV | | |
|------------------|---------|---|----------------------------------|----------------|---------------------------|----|--|
| Grade | : | Heners | M1 | L1 | S1 | LM | |
| Breed | : | Blk/BWF | 36 | 26 | | 3 | |
| Wt. R | ange: | 725-850 | | Avg. | g. Wt. 775 Stop 800 | | |
| Health Progra | - | Implanted (x) IBR, PI3,BVD (x) BRSV(x) Lepto 5 (x) 7 Way Blackleg (x) H Somnus (x) Pasturella (x) Deloused/grubicide (x) Dewormed (x) | | | | | |
| Wt. C | ond: | 10 mile haul to | Westo | n Stoc | kyards | 5 | |
| Picku | p time: | 2-3 day notice; | Augus | st 10-1 | 8 | | |
| Flesh | Cond: | -5-5 | | | | | |
| Feed: | | Pasture | | | | | |
| Comn | nents: | | bood quality; Few pinkeye scars. | | | | |

| Lot: | 5 | 130 | Dan l | Dunca | n | | |
|------------------|------------|--|---|--------|----------------------------|--|-------|
| | J | Heifers | Dunb | ar, PA | | | |
| Grade |) : | | M1 | L1 | S1 | | LM2 |
| Breed | : | Blk/BWF | 92 | 38 | | | |
| Wt. R | ange: | 725-850 | | Avg. | g. Wt. 775 Stop- 800 | | Stop- |
| Healtl Progra | • | Implanted (x) IBR, PI3,BVD (x) BRSV(x) Lepto 5 () 7 Way Blackleg (x) H Somnus (x) Pasturella (x) Deloused/grubicide (x) Dewormed (x) | | | | | |
| Wt. C | ond: | Gathered early, hauled 6 miles truck with a 2% | to scal | es. We | | | |
| Picku | p time: | Week notice; A | August | 21,22, | 24 | | |
| Flesh | Cond: | -5 | | | | | |
| Feed: | | Pasture | | | | | |
| Comn | nents: | feeding heifer | ood muscling, Excellent set of fers; Sorted from 145 head. Grader - Godby | | | | |

| Lot: 7 | | 65 | CDC | Cole | | | | |
|------------|--|--|---------|---------|-------|----|--------|--|
| | | Heifers | Jane | Lew, V | VV | | | |
| Grade: | | | M1 | L1 | S1 | | LM | |
| Breed: | | Blk/BWF | 23 | 29 | | | 7 | |
| | | CharX/RedX | 1 | 4 | | | | |
| | | Hereford | 1 | | | | | |
| Wt. Rang | e: | 735-850 | | Avg. | Wt. | | 785 | |
| | | | 1178 | | | | Stop | |
| | | | 810 | | | | | |
| Health | | Implanted (x) IBR, PI3,BVD (x) BRSV(x) | | | | | | |
| Program: | | Lepto 5 (x) 7 Way Blackleg (x) | | | | | | |
| | | H Somnus (x) Pasturella (x) | | | | | | |
| | | Deloused/grub | icide (| x) De | worm | ed | (x) | |
| Wt. Cond | : | 35 mile haul to | Westo | n Stoc | kyard | s | | |
| Pickup tir | ne: | 2-3 day notice; | Augus | st 10-1 | 8 | | | |
| Flesh Cor | nd: | -5-5 | | | | | | |
| Feed: | | Pasture | | | | | | |
| Comment | mments: Guaranteed Open; Well muscled; | | | | | | , | |
| | Growthy; No extreme L cattle; Will do | | | | | | | |
| | | well on feed; scars. Grader- | | horns; | Few | pi | inkeye | |

| Lot: | 8 | 70 Heifers | | Spark mersvi | is lle, WV | 1 |
|---|----------------|---------------------------------|-------|-----------------|---------------|---------------------|
| Grade | : : | • | M1 | L1 | S1 | LM2 |
| Breed | : | Blk/BWF | 40 | 28 | | 2 |
| Wt. R | ange: | 700-800 | | Avg. | Wt. | 785 Stop- 810 |
| Health Program: Implanted () IBR, PI3,BVD (x) BRSV(x) Lepto 5 () 7 Way Blackleg (x) H Somnus (x) Pasturella (x) Deloused/grubicide (x) Dewormed (x) | | | | | | |
| Wt. C | ond: | 25 mile haul to Summersville | Spark | s Farm | scales | in |
| Picku | p time: | 2-3 day notice; | Augus | st 6-7 | | |
| Flesh | Cond: | 5 | _ | | | |
| Feed: | | Pasture | | | | |
| Comments: Youthful, Average muscling; Goquality; Average flesh; Bought last summered and wintered together; Gofeeding heifers. Grader-Godby | | | | | last fall | |

| Lot: | 10 | 62 Heifers | Terry S Weston | • | | | |
|------------------|--|---|-------------------|---------|-------------------|---------------------|--|
| Grade | <u> </u> | Heners | M1 | L1 | S 1 | LM2 | |
| Breed: | | Blk/BWF | 37 | 24 | | 1 | |
| Wt. R | ange: | 775-90 | 00 | Avg. | Wt. | 840 Stop- 865 | |
| Health Progra | - | Implanted () IBR, PI3,BVD (x) BRSV(x) Lepto 5 () 7 Way Blackleg (x) H Somnus (x) Pasturella (x) Deloused/grubicide (x) Dewormed (x) | | | | | |
| Wt. C | ond: | Early weight Stockyards | -up; 12 n | nile ha | ul to W | eston | |
| Picku | p time: | 2-3 day notic | e; Septer | mber 5 | -15 th | | |
| Flesh | Cond: | 5 | | | | | |
| Feed: | | Pasture | | | | | |
| Comr | nents: | All bought last fall and wintered together and summered together; 3 rounds of vaccine; Excellent quality; Very uniform set of heifers; Will do well on feed. Grader - Godby | | | | | |

| Lot: | 9 | 64 Heifers | | ey Zin | | _ | |
|------------------|---------|---|----------------|---|-----------------------------|------|------|
| | | | Cox' | s Mills | , WV | 7 | |
| Grade | »: | | M1 | L1 | S1 | I | LM2 |
| Breed | : | Blk/BWF | 30 | 34 | | | |
| Wt. R | ange: | 775-875 | | | vg. 825 Wt. Stop- 850 | | op- |
| Healtl Progra | • | Implanted (x) IBR, PI3,BVD (x) BRSV(x) Lepto 5 () 7 Way Blackleg (x) H Somnus (x) Pasturella (x) Deloused/grubicide (x) Dewormed (x) | | | | , , | |
| Wt. C | ond: | Penned Dry Ove scales | ernight | ; 5 mile | e hau | l to | |
| Picku | p time: | 2-3 day notice; | Septem | ber 3-7 | 7 | | |
| Flesh | Cond: | 5 | | | | | |
| Feed: | | Pasture | | | | | |
| Comn | nents: | muscling; G | ood ranteed | nlity: Above averagood fleshed; Doub ranteed Open; Couple pir r - Godby | | | uble |

| Lot: | 11 | 70 Steers | Garrett Colby G Jane Le | Cumps | | | | |
|------------------|------------|--|-------------------------------|--------|--------------------|----|---------------------|--|
| Grade | : : | | M1 | L1 | S1 | | LM2 | |
| Breed | l: | Blk/BWF | 42 | 16 | | 12 | | |
| Wt. R | ange: | 650-80 | 00 | Avg. | Wt. | | 725 Stop- 750 | |
| Health Progra | • | Implanted (x) IBR, PI3,BVD (x) BRSV(x) Lepto 5 () 7 Way Blackleg (x) H Somnus (x) Pasturella (x) Deloused/grubicide (x) Dewormed (x) | | | | | | |
| Wt. C | ond: | Penned Over Stockyards | rnight; 35 | mile l | naul to | W | Veston | |
| Picku | p time: | 2-3 day notic | ce; Septei | mber 2 | 0-30 th | | | |
| Flesh | Cond: | -4+4 | | | | | | |
| Feed: | | Pasture | | | | | | |
| Comr | nents: | Cattle all running together; Thin fleshed; Good quality; Good feeding cattle; #2 mainly due to flesh; Will do well on feed; Few pinkeye scars. Grader - Godby | | | | | | |

| Lot: | 12 | 70 Steers | Mike Davis Jane Lew, WV | | | | | |
|-----------------|---------|--|----------------------------|---------|----------------------------|-------|--|--|
| Grade | e: | | M1 | L1 | S1 | LM2 | | |
| Breed | l: | Blk/BWF | 55 | 10 | | 5 | | |
| Wt. R | ange: | 700-800 |) | Avg. | rg. Wt. 750 Stop 775 | | | |
| Healti Progr | | Implanted () IBR, PI3,BVD (x)BRSV(x) Lepto 5 () 7 Way Blackleg (x) H Somnus (x) Pasturella (x) Deloused/grubicide (x) Dewormed (x) | | | | | | |
| Wt. C | ond: | 15 mile haul to | o Westo | on Stoc | kyard | 8 | | |
| Picku | p time: | 2 -3 day notice | e; First | week o | of Sept | ember | | |
| Flesh | Cond: | 4-4+ | | | | | | |
| Feed: | | Pasture | | | | | | |
| Comr | ments: | Average fleshed; Very uniform; Good quality set of feeding steers; Few pinkeye scars. Grader - Godby | | | | | | |

| Lot: | 14 | 65 Steers | Manley Cox's I | | WV | | |
|-----------------|---------|---|-------------------|---------|----------|----------|--|
| Grade |): | | M1 | L1 | S1 | LM2 | |
| Breed | l: | Blk/BWF CharX | 59 1 | 5 | | | |
| Wt. R | ange | 725-850 Avg. Wt. 780 Sto 80. | | | | | |
| Healti Progr | | Implanted (x) IBR, PI3,BVD (x) BRSV(x) Lepto 5 () 7 Way Blackleg (x) H Somnus (x) Pasturella (x) Deloused/grubicide (x) Dewormed (x) | | | | | |
| Wt. C | Cond: | Penned dry o | vernight | ; 5 mil | e haul t | o scales | |
| Picku | p time: | 2-3 day notic | e; Septe | mber 1 | -3 | | |
| Flesh | Cond: | 5 | | | | | |
| Feed: | | Pasture | | | | | |
| Comr | ments: | Thick, deep bodied set of steers; Middle to lower part of M grade; Very uniform; Well muscled; Double vaccinated; 3-4 pinkeye scars. Grader - Godby | | | | | |

| Lot: | 13 | 68 Steers | | ey Zin s Mills | | | | |
|------------------|---------|---|---------|-------------------|--------|------------------------------|--------|--|
| Grade |): | - I | M1 | L1 | S1 | | LM2 | |
| Breed | l: | Blk/BWF | 52 | 14 | 2 | | | |
| Wt. R | ange: | 725-850 | 725-850 | | | Avg. Wt. 785 Stop- 810 | | |
| Healtl Progra | | Implanted (x) IBR, PI3,BVD (x) BRSV(x) Lepto 5 (x) 7 Way Blackleg (x) H Somnus (x) Pasturella (x) Deloused/grubicide (x) Dewormed (x) | | | | | , , | |
| Wt. C | ond: | Penned Dry ov scales. | ernight | t; 5 mi | le hau | l to |) | |
| Picku | p time: | 2-3 day notice. | Augus | st 20-2 | 3 | | | |
| Flesh | Cond: | -5-5 | | | | | | |
| Feed: | | Pasture | | | | | | |
| Comn | nents: | Uniform; Young headed; Good muscling Excellent quality set of steers; Double Vaccinated; Few pinkeye scars. Grader Godby | | | | | Double | |

| Lot: | 15 | 67 Steers | Arthur Bolyard Jane Lew, WV | | | | | |
|--------------------|---------|--|--------------------------------|---------|------------|--------------------|--|--|
| Grade |): | 1 | M1 | L1 | S 1 | LM2 | | |
| Breed | l: | Blk/BWF | 50 | 15 | 2 | | | |
| Wt. Range: 750-875 | | | 5 | Avg. | Wt. | 800 Stop 825 | | |
| Healtl Progra | | Implanted () IBR, PI3,BVD (x) BRSV(x) Lepto 5 (x) 7 Way Blackleg (x) H Somnus (x) Pasturella (x) Deloused/grubicide (x) Dewormed (x) | | | | | | |
| Wt. C | ond: | 10 mile haul | to Westo | n Stoc | kyards | S | | |
| Picku | p time: | 2-3 day notic | e; Augus | st 19-2 | 4 | | | |
| Flesh | Cond: | 4+ | | | | | | |
| Feed: | | Pasture | | | | | | |
| Comn | nents: | All bought last fall and wintered and summered together; Good muscling; Good quality set of steers; Will do well on feed. Grader - Godby | | | | | | |

| Lot: | 16 | 62 Steers | Garrett Cole Jane Lew, WV | | | | | |
|-----------------|----------|---|--|--------|-------------------|---------------------|--|--|
| Grade | : | | M1 | L1 | S1 | LM2 | | |
| Breed | [| Blk/BWF | 45 | 15 | | 2 | | |
| Wt. R | ange: | ge: 750-875 Avg. Wt. | | | Wt. | 810 Stop- 835 | | |
| Health Progr | - | Implanted (x) IBR, PI3,BVD (x) BRSV(x) Lepto 5 () 7 Way Blackleg (x) H Somnus (x) Pasturella (x) Deloused/grubicide (x) Dewormed (x) | | | | | | |
| Wt. C | Cond: | Penned Over Stockyards | night;60 | mile h | aul to \ | Weston | | |
| Picku | p time: | 2-3 day notic | e; Septe | mber 1 | -15 th | | | |
| Flesh | Cond: | 5 | | | | | | |
| Feed: | | Pasture | | | _ | | | |
| Comr | nents: | of steers; V | Uniform; Good muscling; Good quality set of steers; Will do well on feed; Few pinkeye scars. Grader- Godby | | | | | |

| Lot: | 18 | 65 Steers | | ey Zin s Mills | | |
|---|--------------|------------------------|---------|-------------------|------------|--------------------|
| Grade | : | | M1 | L1 | S 1 | LM2 |
| Breed | l: | CharX/RedX | 37 | 28 | | |
| Wt. R | ange: | 750-875 | | Avg. Wt. | | 825 Stop 850 |
| Health Program: Implanted (x) IBR, PI3,BVD (x) BRSV(x) Lepto 5 () 7 Way Blackleg (x) H Somnus (x) Pasturella (x) Deloused/grubicide (x) Dewormed (x) | | | | | | |
| Wt. C | ond: | Penned dry ove scales. | ernight | ; 5 mil | e haul | to |
| Picku | p time: | 2-3 day notice; | Augu | st 16-1 | .7 | |
| Flesh | Cond: | 5 | | | | |
| Feed: | | Pasture | | | | |
| Comments: No extreme L cattle; All dark nose Char. Growthy; Fancy set of feeding steer Uniform; Double vaccinated; 2-3 wi pinkeye scars. Grader- Godby | | | | | g steers; | |

| Lot: | 17 | 130 Steers | Gimme Elkins, | | ıs | | |
|------------------|---------|---|-----------------------|-------------------|-----------------|-----------|--------------------|
| Grade | »: | | M1 | L1 | S1 | | LM2 |
| Breed: Blk/BWF | | | 75 | 35 | | | 20 |
| Wt. R | ange | 750-90 | 00 | Avg. Wt. | | | 825 Stop 850 |
| Healtl Progra | - | Implanted () IBR, PI3,BVD(x) BRSV() Lepto 5 () 7 Way Blackleg (x) H Somnus (x) Pasturella (x) Deloused/grubicide (x) Dewormed (x) | | | | | |
| Wt. C | ond: | 15-20 mile h | aul to Be | verly (| СоОр | Sca | ales |
| Picku | p time: | 2-3 day notic | e; Sept 1 | -10 th | | | |
| Flesh | Cond: | 4-4+ | | | | | |
| Feed: | | Pasture | | | | | |
| Comn | nents: | Average fles flesh; Good All bought la 10 with pink | quality; \ast fall; I | Will de Double | o well vacci | on nat | feed; ed; 8- |

| Lot: | 19 | 130 | Dirk To Wayne | | wv | | | | |
|--------|------------|--|---|---------|---------|---|---------|--|--|
| | | Steers | - | | | | | | |
| Grade | : | | M1 | L1 | S1 | | LM2 | | |
| Breed | l : | Blk/BWF | 82 | 40 | | | | | |
| | | RedX | 4 | 4 | | | | | |
| | | | | | | | | | |
| Wt. R | ange: | 775-92 | 25 | Avg. | Wt. | | 835 | | |
| | | | | | | | Stop | | |
| | | T 1 . 1/ | \ IDD D | (2 DATE |) () F | | 860 | | |
| Healtl | • | Implanted (x) IBR, PI3,BVD (x) BRSV(x) | | | | | | | |
| Progra | am: | | Lepto 5 () 7 Way Blackleg (x) | | | | | | |
| | | | H Somnus (x) Pasturella (x) Deloused/grubicide (x) Dewormed (x) | | | | | | |
| | | | | | | _ | | | |
| Wt. C | ond: | Penned over AM weigh u | | eighed | on far | m | ; Early | | |
| Picku | p time: | 2-3 day notic | ce; By A | ugust 1 | 1 | | | | |
| Flesh | Cond: | -5-5 | | | | | | | |
| Feed: | | Pasture | | | | | | | |
| Comm | nents: | Well muscled; Growthy set of steers; Good fleshed; Excellent quality; Wintered and summered together; Fancy set of steers; Couple pinkeye scars. Grader - Godby | | | | | | | |

| Lot: | 20 | 64 Steers | Bill Pra Weston | | | | | |
|------------------|--------------|---|---|--------|---------|----------------------------|--|--|
| Grade | : | | M1 | L1 | S1 | LM2 | | |
| Breed | : | Blk/BWF | 38 | 18 | 8 | | | |
| Wt. R | ange: | 775-90 | Avg. Wt. | | | . Wt. 840 Stop - 865 | | |
| Health Progra | - | Implanted () IBR, PI3,BVD (x) BRSV(x) Lepto 5 (X) 7 Way Blackleg (x) H Somnus (x) Pasturella (x) Deloused/grubicide (x) Dewormed (x) | | | | | | |
| Wt. C | ond: | Penned over Weston Stoc | • | 0 mile | haul to | 0 | | |
| Picku | p time: | 2-3 day notic | e; Septer | nber 4 | -10th | | | |
| Flesh | Cond: | 4+-5 | | | | | | |
| Feed: | | Pasture | | | | | | |
| Comr | nents: | well on feed | Good quality; Good muscling; Will do well on feed; All bought last fall; Good feeding steers; 2 nub horns. Grader-Godby | | | | | |

| Lot: | 22 | 60 Steers | Garrett Cole Jane Lew, WV | | | | | |
|-----------------|----------|--|------------------------------|--------|---------|--------------------|-------|--|
| Grade | : | | M1 | L1 | S1 | | LM2 | |
| Breed | l: | Blk/BWF | 41 | 19 | | | | |
| Wt. R | ange: | 800-92 | 800-925 | | | 845 Stop 870 | | |
| Healti Progr | 1 | | | | | ` , | | |
| Wt. C | Cond: | Penned Over Stockyards | night; 60 | mile l | naul to | V | eston | |
| Picku | p time: | 2-3 day notic | e; Septer | nber 1 | -15 | | | |
| Flesh | Cond: | 5 | | | | | | |
| Feed: | | Pasture | | | | | | |
| Comr | ments: | Well muscled; Very uniform; Young headed set of steers; Good feeding cattle; 3-4 pinkeye scars. Grader - Godby | | | | | _ | |

| Lot: | 21 | 64 Steers | Alton E | | | | |
|------------------|---------|--|------------|--------------------------|--------|-----|-----|
| Grade | : : | | M1 | L1 | S1 | | LM2 |
| Breed | : | Blk/BWF | 48 | 10 | 6 | | 6 |
| Wt. R | ange: | 750-90 | 00 | Wt. 845 Stop – 870 | | | |
| Healtl Progra | - | Implanted () IBR, PI3,BVD (x) BRSV(x) Lepto 5 () 7 Way Blackleg (x) H Somnus (x) Pasturella (x) Deloused/grubicide (x) Dewormed (x) | | | | | |
| Wt. C | ond: | 5 mile haul to | o Beverly | Co-C | Op Sca | ıle | S |
| Picku | p time: | 2-3 day notic | e; First v | veek o | f Sept | em | ber |
| Flesh | Cond: | 5 | | | | | |
| Feed: | | Pasture | | | | | |
| Comn | nents: | Very uniform; Good muscling; Excellent quality; Good feeding steers; 1 nub horns. Grader- Godby | | | | | |

| Lot: | 23 | 60 Steers | Manley Zinn Cox's Mills,. WV | | | | | |
|-----------------|---------------|--|---------------------------------|---------|-------------------------|----|--------|--|
| Grade | e: | | M1 | L1 | S1 | | LM2 | |
| Breed | l: | Blk/BWF | 43 | 17 | | | | |
| Wt. R | Wt. Range: 78 | | 25 | Avg. | Wt. 850 Stop- 875 | | | |
| Health Progr | | Implanted (x) IBR, PI3,BVD (x) BRSV(x) Lepto 5 () 7 Way Blackleg (x) H Somnus (x) Pasturella (x) Deloused/grubicide (x) Dewormed (x) | | | | | , , | |
| Wt. C | Cond: | Penned dry o | vernight | ; 5 mil | e haul | to | scales | |
| Picku | p time: | 2-3 day notic | e; Augus | st 20-2 | 3 | | | |
| Flesh | Cond: | 5+ | | | | | | |
| Feed: | | Pasture | | | | | | |
| Comr | nents: | NEED TO GO SAME DAY AS LOT 17; Growthy; Well muscled; Excellent set of feeding steers; Double vaccinated. Grader - Godby | | | | | | |

| Lot: 24 | 65 Steers | Joe Garrett Bridgeport, WV | | | | | |
|--------------------|--|----------------------------------|---------|------|------------------|--|--|
| Grade: | | M1 | L1 | S1 | LM2 | | |
| Breed: | Blk/BWF | 50 | 15 | | | | |
| Wt. Range: | 800-92 | 800-925 Avg. Wt. 85 Sto 87 | | | | | |
| Health Program: | Implanted () IBR, PI3,BVD (x) BRSV(x) Lepto 5 (x) 7 Way Blackleg (x) H Somnus (x) Pasturella (x) Deloused/grubicide (x) Dewormed (x) | | | | | | |
| Wt. Cond: | 35 mile haul Penned weig | | | • | s, | | |
| Pickup time: | 2-3 day notic | e; Before | e Septe | mber | 22 nd | | |
| Flesh Cond: | 5 | | | | | | |
| Feed: | Pasture | | | | | | |
| Comments: | Very uniform; Well muscled; Excellent quality set of steers. Grader- Godby | | | | | | |

| Lot: | 26 | 64 Steers | 2 | ill Pratt Veston, WV | | | | |
|----------------|---------|--|--|-------------------------|---------------------------|-----|--|--|
| Grade | Grade: | | | L1 | S1 | LM2 | | |
| Breed | l: | Blk/BWF | 41 | 21 | | 2 | | |
| Wt. R | ange: | 800-92 | 25 | Avg. | g. Wt. 850 Stop 875 | | | |
| Healt Progr | | Implanted () IBR, PI3,BVD (x) BRSV(x) Lepto 5 () 7 Way Blackleg (x) H Somnus (x) Pasturella (x) Deloused/grubicide (x) Dewormed (x) | | | | | | |
| Wt. C | Cond: | Penned over Weston Stoc | _ | 10 mile | haul | to | | |
| Picku | p time: | 2-3 day notic | ce; Arour | nd Aug | ust 20 | -25 | | |
| Flesh | Cond: | 5 | | | | | | |
| Feed: | | Pasture | | | | | | |
| Comr | ments: | | hed; Well muscled; Excellent ers; All bought last fall; 1 nub ler- Godby | | | | | |

| Lot: | 25 | 65 Steers | Joe Garrett | | | | |
|------------------|---------|---|----------------|---------|-------------|----|--------------------|
| | 23 | | Bridgeport, WV | | | | |
| Grade | Grade: | | | L1 | S 1 | | LM2 |
| Breed | : | Blk/BWF | 55 | 10 | | | |
| Wt. R | ange: | 800-950 | | Avg. | g. Wt. Stop | | 850 Stop 875 |
| Healtl Progra | - | Implanted () IBR, PI3,BVD (x) BRSV(x) Lepto 5 () 7 Way Blackleg (x) H Somnus (x) Pasturella (x) Deloused/grubicide (x) Dewormed (x) | | | | | |
| Wt. C | ond: | 35 mile haul to Penned weighe | | | • | s, | |
| Picku | p time: | 2-3 day notice; | Before | e Septe | ember | 22 | nd |
| Flesh | Cond: | 5 | | | | | · |
| Feed: | | Pasture | | | | | |
| Comn | nents: | Very uniform; Well muscled; Excellent quality set of steers. Grader- Godby | | | | | |

| Lot: | 27 | 59 | H&K Cattle | | | | | |
|------------------|---------|---|------------|----------------|---------------------------|----------|--|--|
| | 27 | Steers | Terra A | Terra Alta, WV | | | | |
| Grade | Grade: | | | L1 | S1 | LM2 | | |
| Breed | l: | Blk/BWF | 36 | 23 | | 3 | | |
| Wt. R | ange: | 775-92 | Avg. Wt. | | g. Wt. 850 Stop 875 | | | |
| Healtl Progra | - | Implanted (x) IBR, PI3,BVD (x) BRSV(x) Lepto 5 () 7 Way Blackleg (x) H Somnus (x) Pasturella (x) Deloused/grubicide (x) Dewormed (x) | | | | | | |
| Wt. C | ond: | Penned dry of Alta Stockya | _ | ; 5 mil | e haul | to Terra | | |
| Picku | p time: | 2-3 Day Not | ice; Befo | re Aug | 26 th | | | |
| Flesh | Cond: | 4+-5 | | | | | | |
| Feed: | | Pasture | | | | | | |
| Comn | nents: | Good muscling; Growthy set of steers; Uniform; Good quality; Good feeding steers; Bought last fall. Grader - Godby | | | | | | |

| Lot: | 28 | 62 Steers | Betty Roberts CD Cole Elkins, WV | | | | |
|-----------------|------------|---|----------------------------------|--------|--------------------------|-----|--|
| Grade | : : | | M1 | L1 | S1 | LM2 | |
| Breed | | Blk/BWF | 43 | 16 | | 3 | |
| Wt. R | ange: | 775-900 Avg | | | Avg. Wt. 85 Sto 87 | | |
| Healtl Progr | • | Implanted (x) IBR, PI3,BVD (x) BRSV(x) Lepto 5 () 7 Way Blackleg (x) H Somnus (x) Pasturella (x) Deloused/grubicide (x) Dewormed (x) | | | | | |
| Wt. C | ond: | 8 mile haul to I 10 mile haul to | • | | • | | |
| Picku | p time: | 2-3 day notice; | Septer | nber 1 | -15 | | |
| Flesh | Cond: | 5 | | | | | |
| Feed: | | Pasture | | | | | |
| Comr | nents: | Uniform; Well muscled; Good quality set of steers; Couple pinkeye scars. Grader - Godby | | | | | |

| Lot: | 29 | 62 | Jody Taylor | | | | |
|------------------|---|---|-------------|--------|---------------------------|-----|------|
| | | Steers | Napier, | WV | | | |
| Grade | Grade: | | | L1 | S1 | | LM2 |
| Breed | : | Blk/BWF | 23 | 39 | | | |
| Wt. R | ange: | 825-92 | .5 | Avg. | g. Wt. 865 Stop 890 | | Stop |
| Healtl Progra | Health Program: Implanted () IBR, PI3,BVD (x) BRSV(x) Lepto 5 () 7 Way Blackleg (x) H Somnus (x) Pasturella (x) Deloused/grubicide (x) Dewormed (x) | | | | | ` , | |
| Wt. C | ond: | 35 mile haul | to Westo | n Stoc | kyard | s | |
| Picku | p time: | 2-3 day notic | e; After | Augus | t 20 | | |
| Flesh | Cond: | 5 | | | | | |
| Feed: | | Pasture | | | | | |
| Comn | nents: | Well muscled; Good fleshed; Excellent set of feeding steers; Above average muscling. Grader – Godby | | | | | |

| Lot: | 30 | 58 Steers | Pat Bishop Kingwood, WV | | | | |
|------------------|---------|--|---|--------|-----------------------------|------|--|
| Grade |): | I | M1 L1 S1 LN | | | | |
| Breed | : | Blk/BWF | 46 | 12 | | | |
| Wt. R | ange: | 800-95 | 50 | Avg. | Avg. Wt. 875 Stop 900 | | |
| Healtl Progra | - | Implanted () IBR, PI3,BVD (x) BRSV(x) Lepto 5 () 7 Way Blackleg (x) H Somnus (x) Pasturella (x) Deloused/grubicide (x) Dewormed (x) | | | | | |
| Wt. C | ond: | Penned over loaded on tru Greer Limes | ıck; Then | weigh | ned on | | |
| Picku | p time: | 2-3 day notic | e; Within | n 2 we | eks of | sale | |
| Flesh | Cond: | 5 | | | | | |
| Feed: | | Pasture | | | | | |
| Comn | nents: | Excellent que Good fleshed | ell muscle; Growthy set of steers; cellent quality; Good feeding steers; bod fleshed; Uniform; 2 blue eyes; 1 nubrns. Grader -Godby | | | | |

| Lot: | 31 | 60 Steers | Jody Taylor Napier, WV | | | | | |
|------------------|---------|--|--|---------------|--------------------|------|------|--|
| Grade | Grade: | | | L1 | S1 LM | | LM2 | |
| Breed | : | Blk/BWF CharX HerefX | 8 12 1 | 19 18 2 | | | | |
| Wt. R | ange: | 825-950 |) | Avg. | 875 Stop 900 | | | |
| Healtl Progra | _ | Lepto 5 () 7 H Somnus (> | lanted () IBR, PI3,BVD (x) BRSV(x) to 5 () 7 Way Blackleg (x) omnus (x) Pasturella (x) oused/grubicide (x) Dewormed (x) | | | | | |
| Wt. C | ond: | 35 mile haul t am weigh up | o Westo | n Stoc | kyard | s ea | ırly | |
| Picku | p time: | 2-3 day notice | ; After | Augus | t 20 | | | |
| Flesh | Cond: | 5 | | | | | | |
| Feed: | | Pasture | | | | | | |
| Comm | nents: | All dark nose CharX; HerefordX Steers; Well muscled; Growthy; All bought last fall; Wintered together; Excellent feeding cattle; No extreme L cattle. Grader - Godby | | | | | | |

| Lot: | 32 | 58 Steers | Terry Syrews Weston, WV | | | | | |
|--------|---------|--|----------------------------|--------|-------|------|-----|--|
| Grade |): | | M1 | L1 | S1 | I | LM2 | |
| Breed | l: | Blk/BWF | 34 | 18 | | | 3 | |
| | | Char | 2 | 1 | | | | |
| Wt. R | lange: | 800-95 | 50 | Avg. | Wt. | 8 | 80 | |
| | Ü | | | | | St | top | |
| | | | | | | 9 | 05 | |
| Healtl | h | Implanted () IBR, PI3,BVD (x) BRSV(x) | | | | | | |
| Progr | am: | Lepto 5 () 7 Way Blackleg (x) | | | | | | |
| | | H Somnus (x) Pasturella (x) | | | | | | |
| | | Deloused/gru | ubicide (| x) De | worm | ed (| x) | |
| Wt. C | Cond: | 12 mile haul | to Westo | n Stoc | kyard | S | | |
| Picku | p time: | 2-3 day notic | ce; Septei | mber 5 | -15th | | | |
| Flesh | Cond: | -5-5 | | | | | | |
| Feed: | | Pasture | | | | | | |
| Comr | nents: | All bought last fall and wintered together; 3 rounds of vaccine; Good muscling; Good feeding set of steers; Excellent quality. Grader - Godby | | | | | | |

| Lot: | 33 | 58 | Jody Taylor | | | | | |
|--------|---------|--|-------------|--------|--------------------|--------|--|--|
| | | Steers | Napier, | WV | | | | |
| Grade: | | | M1 | L1 | S1 | LM2 | | |
| Breed | : | Blk/BWF | 18 | 40 | | | | |
| Wt. R | ange: | 850-95 | 50 | Avg. | Wt. | 900 | | |
| | | | | | | Stop | | |
| | | | | | | 925 | | |
| Healtl | h | Implanted () | IBR, PI3 | ,BVD | (x) BI | RSV(x) | | |
| Progra | am: | Lepto 5 () 7 Way Blackleg (x) | | | | | | |
| | | H Somnus (x) Pasturella (x) | | | | | | |
| | | Deloused/gru | ubicide (| x) De | worm | ed(x) | | |
| Wt. C | ond: | 35 mile haul | to Westo | n Stoc | kyard | S | | |
| Picku | p time: | 2-3 day notic | e; After | Augus | t 15 th | | | |
| Flesh | Cond: | 5 | | | | | | |
| Feed: | | Pasture | | | | | | |
| Comn | nents: | All bought last fall and wintered together; No extreme L cattle; Well muscled; Growthy; Excellent feeding cattle. Grader- Godby | | | | | | |